



## CRC COCKPIT SHINE

Ref. : 10500

### 1. GENERAL DESCRIPTION

---

Cleans and renovates plastics and rubbers.

A combination of mild, quickly evaporating solvents and stable, inert polymers which leave a non-staining, water-repellent film. CRC Cockpit Shine forms a protective barrier against color fading and hardening caused by the penetration of ozone, U.V. rays and oxygen.

### 2. FEATURES

---

- Cleans plastic and rubber.
- Polishes and shines dashboards, bumpers, spoilers, vinyl roofs, upholstery, etc.
- Renovates car interiors.
- Maintains the elasticity of door and trunk rubber linings, it does not become sticky.
- Forms a clear, shiny, inert, non-staining, water-repellent film.
- Removes stains and nicotine from car interiors.
- Leaves a fresh fragrant smell.
- Harmless to the rubbers and plastics usual applied in the cars interior. Test on a small area before using on very sensitive plastics, adhesive mounted or stressed parts.
- Aerosols are equipped with the 360°C (upside-down) spray valve for added convenience.
- Aerosols are pressurised with high purity CO<sub>2</sub>, giving an active product content of over 97%.

### 3. APPLICATIONS

---

- Dashboards
- Vinyl tops
- Bumpers
- Spoilers
- Vinyl upholstery parts
- Rubber mats
- Chrome

### 4. DIRECTIONS

---

- On large surfaces: Spray a light, even film and wipe out immediately with a lint free cloth.
- On smaller surfaces: spray on a lint free cloth and wipe out on the surface
- Repeat application if necessary.
- Removal: by CRC Quickleen.
- Do not use on energized equipment.
- Do not use on steering wheel, gear shift lever or pedals.
- A safety data sheet (MSDS) according EU directive 93/112 is available for all CRC products.



Manufactured by :  
CRC Industries Europe NV  
Touwslagerstraat 1 – 9240 Zele – Belgium  
Tel (32) (0) 52/45.60.11 Fax (32) (0) 52/45.00.34  
[www.crcind.com](http://www.crcind.com)





## CRC COCKPIT SHINE

Ref. : 10500

### 5. TYPICAL PRODUCT DATA (without propellant)

---

Appearance	:	colorless liquid
Specific gravity @ 20°C	:	0,71
Distillation range (solvent)	:	60-100°C
Flash point (solvent)	:	< -0°C
Dry film properties		
Appearance	:	colorless film
Specific gravity @ 20°C	:	0,99
Kinematic viscosity @ 40°C	:	270 mm <sup>2</sup> /s
Flash point (open cup)	:	> 200°C
Auto-ignition temp. (in air)	:	> 300°C
Pour point	:	< -30°C

### 6. PACKAGING

---

Aerosol: 12 x 400 ml

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: [www.crcind.com](http://www.crcind.com).

We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

Version : 10500 03 0900 03  
Date : 09 July 2004



Manufactured by :  
CRC Industries Europe NV  
Touwslagerstraat 1 – 9240 Zele – Belgium  
Tel (32) (0) 52/45.60.11 Fax (32) (0) 52/45.00.34  
[www.crcind.com](http://www.crcind.com)

