

# LPS<sup>®</sup> MICRO-X

## FAST EVAPORATING CONTACT CLEANER



### FEATURES

- Quick penetration
- Does not contain any chlorinated solvents
- No residue
- No rinsing
- Fast drying
- Safe on metal and plastics
- Inverta Spray Valve lets you spray in upright or inverted position

### APPLICATIONS

- Circuit Breakers
- Connectors
- Contacts
- Controls
- Fluid Systems
- Generators
- Instrumentation
- Keyboards
- Magnetic Tape Heads
- Motors
- Office Equipment
- Printed Circuits
- Relays
- Semiconductor Assemblies
- Sensors
- Switch Gears
- Switches
- Telecommunication Equipment
- Telephone Equipment
- Terminals
- TV Tuners



Nonfood Compounds Program Listed  
Category Code: K2 Registration  
# 059853 (Aerosol); # 059852 (Bulk)



### PACKAGES

Net Fill	Part No.
11 oz. (312 grams) aerosol	04516
55 gal. (208 liters)	04555

### PROPERTIES

KB Value:	29	% HCFCs:	None
Specific Gravity (H <sub>2</sub> O=1):	0.64 – 0.66 @ 25°C	Propellant:	Carbon Dioxide
Flash Point:	0°F (-18°C) TCC		
VOC Content:	630 g/L, 5.3 lb./gal (aerosol)		
	657g/L, 5.5 lb./gal (bulk)		

**Value Performance**

MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST OR VISIT OUR WEB SITE : [WWW.LPSLABS.COM](http://WWW.LPSLABS.COM)

LPS Laboratories • An Illinois Tool Works Company

P.O. Box 105052 • 4647 Hugh Howell Road • Tucker, GA 30085-5052 • TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899

Internet Web Site: [www.lpslabs.com](http://www.lpslabs.com)

©2009 LPS Laboratories • LPS<sup>®</sup> is a registered trademark of Illinois Tool Works • Printed in U.S.A. • All Rights Reserved • Form #2126 • Rev. 1/2009